

IN THE CLAIMS

Please amend the claims as follows:

Claim 1 (Canceled)

Claim 2 (Currently Amended): A holder, comprising:

a first component holding unit configured to hold an image pickup device in a region without opening on a main surface of a board; and

a second component holding unit configured to hold another component on said main surface at a location different from a location of said image pickup holding unit, wherein said first and second component units are formed as a single piece, and said first component holding unit is configured to hold a central substantial portion of a surface of said image pickup device in direct contact to said main surface.

Claim 3 (Previously Presented): The holder according to claim 2, wherein said first component holding unit is in a frame shape configured to surround and hold a periphery of said image pickup device.

Claim 4 (Original): The holder according to claim 3, wherein said first component holding unit is in a frame shape with upper and bottom surfaces opened.

Claim 5 (Previously Presented): The holder according to claim 2, wherein said second component holding unit is configured to hold a receiver.

Claim 6 (Previously Presented): The holder according to claim 2, wherein said second component holding unit is configured to hold a display device.

Claim 7 (Previously Presented): The holder according to claim 2, wherein the holder is formed with resin by integral molding.

Claim 8 (Previously Presented): A portable telephone provided with the holder according to claim 2.

Claim 9 (New): A holder, comprising:  
a first component holding unit to hold an image pickup device on a flat region of a main surface of a board; and  
a second component holding unit to hold another component on the main surface, wherein the first and second component units are formed as a single piece, and the first component holding unit is configured to hold a substantial portion of a bottom surface of the image pickup device in direct contact to the flat portion of the main surface.

Claim 10 (New): The holder according to claim 9, further comprising:  
a third component holding unit to hold a display device, wherein the first and second component holding units are disposed next to each other adjacent to an upper region of the third component holding unit, and the first and third component holding units are connected to each other.

Claim 11 (New): The holder according to claim 10, wherein the first component holding unit is in a frame shape configured to surround and hold a periphery of the image pickup device.

Claim 12 (New): The holder according to claim 11, wherein the first component holding unit comprises opened upper and bottom surfaces.

Claim 13 (New): The holder according to claim 12, wherein the second component holding unit is configured to hold a receiver.

Claim 14 (New): The holder according to claim 13, wherein the holder is formed with resin by integral molding.

Claim 15 (New): A portable telephone provided with the holder according to claim 9.

Claim 16 (New): A portable telephone provided with the holder according to claim 10.

Claim 17 (New): A portable telephone provided with the holder according to claim 14.